


PaySky SmartBox V7

Smart Android POS



**Onmi-channel Payment, Support 4G/3G, Bluetooth,
WIFI 2.4/5Ghz, Android 10**



High Reliability & Exceptional Performance

- Accepts EMV Chip, Magnetic stripe & NFC contactless transactions.
- Fast processing capacity via a Quad-core 1.8 processor.
- High quality 5 inch touch color screen.

Unprecedented Security

- PCI PTS 5.x certified, SRED, EMV 3.0

Flexible Expansibility

- 3G, 4G LTE
- Wifi & Bluetooth connectivity
- Phone call support



Key Features

- Quad-core processor deliver stronger performance
- High-speed printer
- Omnipotent payment includes MSR, IC-card, NFC and QR-code
- Ultra-thin design makes it easy to pick up and move the device when needed
- Removable aluminum polymer battery ensures safety and ease of maintenance



**IC card reader**

Support smart IC card complies with ISO7816/EMV/PBOC3.0 standards

Magnetic card reader

Support 1/2/3 track Bi-direction complies with ISO7810/7811 standards

Security

ANSI X9.8/ISO9564,
ANSI X9.9/ISO8731,
Master Key/Session key,
support 3DES, RSA, SHA-256

NFC reader

PBOC 3.0
ISO/ICE 14443 Type A&B,
Milfare card,
qPBOC,
PayPass,
PayWave



Special Features

Biometric fingerprint scanner for payments & government applications use-cases.



QR Scanning support for payments & retail use-cases.



Product Specifications

Operating System	Android 10
Processor	Quad-Core 4×1.3G, A53
Memory	1GB + 8GB (2GB + 16GB optional)
Communications	4G (TD-LTE / FDD-LTE) + 3G (WCDMA / TD-SCDMA) + 2G (GSM / GPRS), WiFi 2.4GHz / 5GHz (802.11 a/b/g/n), Bluetooth 4.2 BLE
Location	GPS, GLONASS, Beidou, A-GPS
Display	5.5" (1280 × 720) LCD, capacitive multi-touch screen
Cameras	8M AF Rear Camera with LED Flash, Support 1D / 2DBarcode / QR Scanning 2M FF Front Camera, Support 1D / 2DBarcode / QR Scanning
Printer	Print speed: 60 mm/s, Paper roll: 58 mm width, diameter 40 mm
Battery	Li-ion battery, 3.8V, 5000mAh
Smart Card Reader	ISO 7816 T=0 & T=1 EMV Level 1 & 2, ISO/IEC 7816 1/2/3/4, Cycles 500,000
Magnetic Stripe Card	ISO7811-6:2008, ISO7811, ISO 7813, Track 1/2/3, Hi & Lo-coercivity, Bi-Direction, Cycles 1,000,000
Contactless Card	EMV Contactless L1, ISO14443 A&B, FeliCa
Card Slots	2× SIM + 1× SAM or 1× SIM + 2× SAM
Peripheral Ports	1 USB Type-C and USB 2.0, OTG
Power	Input: 110 - 240V AC, 50Hz / 60Hz I Output: 5V DC, 2.0A
Physical	215.8mm (L) × 78.6mm (W) × 49.1mm (H)
Certifications	PCI PTS 5.x SRED, EMV Contacted L1 & L2, EMV Contactless L1, Visa PayWave (incl. VOQOS), MasterCard Contactless, AMEX ExpressPay, JCB JSpeedy, Discover D-PAS, UnionPay QuickPass, Mastercard TQM, CE, RoHS, FCC

Terminal Dimensions



www.paysky.io



+971566582877



The Dome Tower, JLT, Dubai, UAE



info@paysky.io